



The State of New Hampshire
Department of Environmental Services

Robert R. Scott, Commissioner

136



max

June 5, 2025

Her Excellency, Governor Kelly A. Ayotte
and The Honorable Council
State House
Concord, NH 03301

REQUESTED ACTION

Approve The Steven K Deutsch Trust Et Al's request to perform the following work on Lake Winnepesaukee in Gilford pursuant to NH Department of Environmental Services (NHDES) Wetlands Bureau permit #2025-00531, and in accordance with RSA 482-A:3. No comments were submitted by the Gilford Conservation Commission regarding the project as proposed.

Install a permanent boatlift and a 14 foot x 30 foot seasonal canopy within the center slip, and a second personal watercraft lift adjacent to, an "h" shaped permanent docking structure, repair or replace an existing "h" shaped piling dock consisting of a 6 foot x 45 foot pier connected to a 6 foot x 12 foot walkway connected to a 6 foot x 31 foot pier, two permanent ice clusters, and four fender piles, an "L" shaped breakwater, and a "w" shaped piling dock consisting of a 5 foot x 43 foot pier, a 5 foot x 30 foot pier, a 4 foot x 30 foot pier, and a 6 foot x 30 foot wharf, in-kind, along an average of 310 linear feet of frontage along Lake Winnepesaukee in Gilford.

NHDES imposed the following conditions as part of this approval:

1. In accordance with Env-Wt 307.16, all work shall be done in accordance with the approved plans dated February 26, 2025, by Watermark Marine Construction, as received by the NH Department of Environmental Services (NHDES) on March 6, 2025.
2. This permit shall not be effective until it has been recorded in the Belknap County Registry of Deeds and a copy of the recorded permit has been provided to the department as required pursuant to RSA 482-A:3, and Env-Wt 314.02.
3. Any subdivision of the property frontage will require removal of a sufficient portion of the docking structures to comply with the dock size and density requirements in effect at the time of the subdivision as required to maintain compliance with Env-Wt 314.02 and Env-Wt 513.12.
4. Only those structures shown on the approved plans shall be installed or constructed along this frontage as required per Env-Wt 513.22, (a).
5. All portions of the docking structures shall be located at least 20 feet from the abutting property lines and no watercraft shall be secured to the docking facility such that it crosses over the imaginary extension of the property lines over the surface water as required by RSA 482-A:3, XIII.
6. All seasonal structures, including watercraft lifts, shall be removed for the non-boating season as required per Env-Wt 513.22.

www.des.nh.gov

29 Hazen Drive • PO Box 95 • Concord, NH 03302-0095

NHDES Main Line: (603) 271-3503 • Subsurface Fax: (603) 271-6683 • Wetlands Fax: (603) 271-6588

TDD Access: Relay NH 1 (800) 735-2964

7. In accordance with Env-Wt 513.21(c), a seasonal lift shall be installed and removed the same as a seasonal dock, as described in Env-Wt 513.22(b).
8. The canopy, including the support frame and cover, shall be designed and constructed to be readily removed at the end of the boating season and shall be removed for the non-boating season as required per Env-Wt 513.19.
9. The owner understands and accepts that should these docking structures be found to have an unreasonable impact on the ability of abutting owners to use and enjoy their properties or the public's right to navigation, passage, and use of the resource for commerce and recreation the structures shall be subject to removal pursuant to RSA 482-A:1, RSA 482-A:11, II, and Env-Wt 513.03(a).
10. All development activities associated with any project shall be conducted in compliance with applicable requirements of RSA 483-B and Env-Wq 1400 during and after construction as required pursuant to RSA 483-B:3.
11. Pursuant to RSA 483-B:9, V(a)(2)(D), (v), this permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V(a)(2)(D), (iv).
12. Work authorized shall be carried out in accordance with Env-Wt 307 such that appropriate turbidity controls are in place to protect water quality, that no turbidity escapes the immediate dredge area, and that appropriate turbidity controls shall remain until suspended particles have settled and water at the work site has returned to normal clarity.
13. Pursuant to RSA 482-A:14, RSA 482-A:14-b, and RSA 482-A:14-c, NHDES is authorized to take appropriate compliance actions should it be determined that, based upon additional information which becomes available, any of the structures depicted as "existing" on the plans submitted by or on behalf of the permittee were not previously permitted or grandfathered.

EXPLANATION

NHDES approved this project on April 28, 2025. NHDES supported its decision with the following findings:

1. This is a major impact project per Administrative Rule Env-Wt 513.24(c), the modification of docking structures associated with a breakwater.
2. The applicant has an average of 310 feet of frontage along Lake Winnepesaukee.
3. A maximum of 5 slips may be permitted on this frontage per Rule Env-Wt 513.12, Frontage Requirements for Private and Non-commercial Docking Structures.
4. The existing docking facility will provide 5 slips as defined per RSA 482-A:2, VIII, and therefore meets Rule Env-Wt 513.12.
5. The NHDES finds that because the project is not of significant public interest and will not significantly impair the resources of Lake Winnepesaukee a public hearing under RSA 482-A:8 is not required.
6. No concerns were received from abutters nor the local Conservation Commission related to the project.
7. The NHDES finds that the project as proposed and conditioned meets the requirements of RSA 482-A and the Wetlands Program Code of Administrative Rules Chapters Env-Wt 100 - 900.

Her Excellency, Governor Kelly A. Ayotte
and The Honorable Council
Page 3 of 3

NHDES Wetlands Bureau permit #2025-00531 application documents are enclosed for review by the Governor and the Executive Council in consideration of this request and in accordance with RSA 482-A:3, II(a), as it is a major project located in New Hampshire public waters.

We respectfully request your approval of this item.

A handwritten signature in black ink, appearing to read "Robert R. Scott", is written over a solid horizontal line.

Robert R. Scott
Commissioner



STANDARD DREDGE AND FILL WETLANDS PERMIT APPLICATION Water Division/Land Resources Management Wetlands Bureau Check the Status of your Application



RSA/Rule: RSA 482-A/Env-Wt 100-900

APPLICANT'S NAME: Steven & Iane Deutsch Trust

TOWN NAME: Gilford

Administrative Use Only stamp and receipt information including File No. 2025-00531, Check No. 7191, and Amount \$1,256.00.

A person may request a waiver of the requirements in Rules Env-Wt 100-900 to accommodate situations where strict adherence to the requirements would not be in the best interest of the public or the environment but is still in compliance with RSA 482-A. A person may also request a waiver of the standards for existing dwellings over water pursuant to RSA 482-A:26, III(b). For more information, please consult the Waiver Request Form.

SECTION 1 - REQUIRED PLANNING FOR ALL PROJECTS (Env-Wt 306.05; RSA 482-A:3, I(d)(2)) Please use the Wetland Permit Planning Tool (WPPT), the Natural Heritage Bureau (NHB) DataCheck Tool, the Aquatic Restoration Mapper, or other sources to assist in identifying key features such as: priority resource areas (PRAs), protected species or habitats, coastal areas, designated rivers, or designated prime wetlands. Has the required planning been completed? Does the property contain a PRA? If yes, provide the following information: Does the project qualify for an Impact Classification Adjustment... Protected species or habitat? Bog? Floodplain wetland contiguous to a tier 3 or higher watercourse? Designated prime wetland or duly-established 100-foot buffer? Sand dune, tidal wetland, tidal water, or undeveloped tidal buffer zone? Is the property within a Designated River corridor? If yes, provide the following information: Name of Local River Management Advisory Committee (LAC): A copy of the application was sent to the LAC on Month: Day: Year:

For dredging projects, is the subject property contaminated? • If yes, list contaminant:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
---	---

Is there potential to impact impaired waters, class A waters, or outstanding resource waters?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
---	---

For stream crossing projects, provide watershed size (see [WPPT](#) or Stream Stats):

SECTION 2 - PROJECT DESCRIPTION (Env-Wt 311.04(i))

Provide a **brief** description of the project and the purpose of the project, outlining the scope of work to be performed and whether impacts are temporary or permanent. **DO NOT** reply "See attached"; please use the space provided below.

Repair or replace an existing h-shaped permanent piling supported dockage consisting of a 6ft x 45ft main pier, a 6ft x 31ft pier connected by a 6ft x 12ft walkway with two ice clusters and four fender pilings in-kind with no change in size location or configuration. Proposed permanent piling supported boatlift in center slip of the dockage which was previously approved and never constructed with an attached 14ft x 30ft seasonal canopy. Maintain one existing PWC lift and proposed second PWC which was also previously approved and never installed. Lastly, repair or replace an existing L-shaped rock breakwater with attached W-shaped dockage consisting of a 5ft x 43ft main pier, a 5ft x 30ft pier, a 4ft x 30ft piling pier and a 6ft x 30ft wharf along shore in-kind with no change in size location or configuration.

SECTION 3 - PROJECT LOCATION

Separate wetland permit applications must be submitted for each municipality within which wetland impacts occur.

ADDRESS: **350 Edgewater Drive**

TOWN/CITY: **Gilford**

TAX MAP/BLOCK/LOT/UNIT: **218-027-000**

US GEOLOGICAL SURVEY (USGS) TOPO MAP WATERBODY NAME: **Lake Winnepesaukee**
 N/A

(Optional) LATITUDE/LONGITUDE in decimal degrees (to five decimal places): **43.61703° North**
71.43140° West

irm@des.nh.gov or (603) 271-2147

NHDES Wetlands Bureau, 29 Hazen Drive, PO Box 95, Concord, NH 03302-0095

www.des.nh.gov

SECTION 4 - APPLICANT (DESIRED PERMIT HOLDER) INFORMATION (Env-Wt 311.04(a))			
If the applicant is a trust or a company, then complete with the trust or company information.			
NAME: Steven & Iane Deutsch Trust, Trustees: Steven & Iane Deutsch			
MAILING ADDRESS: [REDACTED]			
TOWN/CITY: [REDACTED]		STATE: [REDACTED]	ZIP CODE: [REDACTED]
EMAIL ADDRESS: [REDACTED]			
FAX: [REDACTED]		PHONE: [REDACTED]	
ELECTRONIC COMMUNICATION: By initialing here N/A , I hereby authorize NHDES to communicate all matters relative to this application electronically.			
SECTION 5 - AUTHORIZED AGENT INFORMATION (Env-Wt 311.04(c))			
<input type="checkbox"/> N/A			
NAME: Ian Aldcroft			
COMPANY NAME: Watermark Marine Construction			
MAILING ADDRESS: 1218 Union Avenue			
TOWN/CITY: Laconia		STATE: NH	ZIP CODE: 03246
EMAIL ADDRESS: iea@watermarkmarine.com			
FAX: N/A		PHONE: 603-293-4000	
ELECTRONIC COMMUNICATION: By initialing here IEA , I hereby authorize NHDES to communicate all matters relative to this application electronically.			
SECTION 6 - PROPERTY OWNER INFORMATION (IF DIFFERENT THAN APPLICANT) (Env-Wt 311.04(b))			
If the owner is a trust or a company, then complete with the trust or company information.			
<input checked="" type="checkbox"/> Same as applicant			
NAME: Steven & Iane Deutsch Trust, Trustees: Steven & Iane Deutsch			
MAILING ADDRESS: [REDACTED]			
TOWN/CITY: [REDACTED]		STATE: [REDACTED]	ZIP CODE: [REDACTED]
EMAIL ADDRESS: [REDACTED]			
FAX: [REDACTED]		PHONE: [REDACTED]	
ELECTRONIC COMMUNICATION: By initialing here N/A , I hereby authorize NHDES to communicate all matters relative to this application electronically.			

SECTION 7 - RESOURCE-SPECIFIC CRITERIA ESTABLISHED IN Env-Wt 400, Env-Wt 500, Env-Wt 600, Env-Wt 700, OR Env-Wt 900 HAVE BEEN MET (Env-Wt 313.01(a)(3))

Describe how the resource-specific criteria have been met for each chapter listed above (please attach information about stream crossings, coastal resources, prime wetlands, or non-tidal wetlands and surface waters):

There are currently no resource-specific criteria established in chapter Env-Wt 500. There are no resource-specific criteria to meet with regards to the installation of dredging, permanent docks, boathouses, permanent boatlifts, seasonal docks, seasonal PWC lifts, seasonal boatlifts and seasonal canopies.

This project proposes no work involving stream crossings, coastal resources or prime wetlands.

SECTION 8 - AVOIDANCE AND MINIMIZATION

Impacts within wetland jurisdiction must be avoided to the maximum extent practicable (Env-Wt 313.03(a)). * Any project with unavoidable jurisdictional impacts must then be minimized as described in the Wetlands Best Management Practice Techniques For Avoidance and Minimization and the Wetlands Permitting: Avoidance, Minimization and Mitigation Fact Sheet. For minor or major projects, a functional assessment of all wetlands on the project site is required (Env-Wt 311.03(b)(10)).*

Please refer to the application checklist to ensure you have attached all documents related to avoidance and minimization, as well as functional assessment (where applicable). Use the Avoidance and Minimization Checklist, the Avoidance and Minimization Narrative, or your own avoidance and minimization narrative.

**See Env-Wt 311.03(b)(6) and Env-Wt 311.03(b)(10) for shoreline structure exemptions.*

SECTION 9 - MITIGATION REQUIREMENT (Env-Wt 311.02)

If unavoidable jurisdictional impacts require mitigation, a mitigation pre-application meeting must occur at least 30 days but not more than 90 days prior to submitting this Standard Dredge and Fill Permit Application.

Mitigation Pre-Application Meeting Date: Month: Day: Year:

N/A - Mitigation is not required

SECTION 10 - THE PROJECT MEETS COMPENSATORY MITIGATION REQUIREMENTS (Env-Wt 313.01(a)(1)c)

Confirm that you have submitted a compensatory mitigation proposal that meets the requirements of Env-Wt 800 for all permanent unavoidable impacts that will remain after avoidance and minimization techniques have been exercised to the maximum extent practicable: I confirm submittal.

N/A – Compensatory mitigation is not required

irm@des.nh.gov or (603) 271-2147

NHDES Wetlands Bureau, 29 Hazen Drive, PO Box 95, Concord, NH 03302-0095

www.des.nh.gov

SECTION 11 - IMPACT AREA (Env-Wt 311.04(g))

For each jurisdictional area that will be/has been impacted, provide square feet (SF) and, if applicable, linear feet (LF) of impact, and note whether the impact is after-the-fact (ATF; i.e., work was started or completed without a permit).

For intermittent and ephemeral streams, the linear footage of impact is measured along the thread of the channel. *Please note, installation of a stream crossing in an ephemeral stream may be undertaken without a permit per Rule Env-Wt 309.02(d), however other dredge or fill impacts should be included below.*

For perennial streams/rivers, the linear footage of impact is calculated by summing the lengths of disturbances to the channel and banks.

Permanent impacts are impacts that will remain after the project is complete (e.g., changes in grade or surface materials).

Temporary impacts are impacts not intended to remain (and will be restored to pre-construction conditions) after the project is completed.

JURISDICTIONAL AREA		PERMANENT			TEMPORARY		
		SF	LF	ATF	SF	LF	ATF
Wetlands	Forested Wetland			<input type="checkbox"/>			<input type="checkbox"/>
	Scrub-shrub Wetland			<input type="checkbox"/>			<input type="checkbox"/>
	Emergent Wetland			<input type="checkbox"/>			<input type="checkbox"/>
	Wet Meadow			<input type="checkbox"/>			<input type="checkbox"/>
	Vernal Pool			<input type="checkbox"/>			<input type="checkbox"/>
	Designated Prime Wetland			<input type="checkbox"/>			<input type="checkbox"/>
	Duly-established 100-foot Prime Wetland Buffer			<input type="checkbox"/>			<input type="checkbox"/>
Surface Water	Intermittent / Ephemeral Stream			<input type="checkbox"/>			<input type="checkbox"/>
	Perennial Stream or River			<input type="checkbox"/>			<input type="checkbox"/>
	Lake / Pond			<input type="checkbox"/>			<input type="checkbox"/>
	Docking - Lake / Pond	4		<input type="checkbox"/>	420		<input type="checkbox"/>
	Docking - River			<input type="checkbox"/>			<input type="checkbox"/>
Banks	Bank - Intermittent Stream			<input type="checkbox"/>			<input type="checkbox"/>
	Bank - Perennial Stream / River			<input type="checkbox"/>			<input type="checkbox"/>
	Bank / Shoreline - Lake / Pond			<input type="checkbox"/>			<input type="checkbox"/>
Tidal	Tidal Waters			<input type="checkbox"/>			<input type="checkbox"/>
	Tidal Marsh			<input type="checkbox"/>			<input type="checkbox"/>
	Sand Dune			<input type="checkbox"/>			<input type="checkbox"/>
	Undeveloped Tidal Buffer Zone (TBZ)			<input type="checkbox"/>			<input type="checkbox"/>
	Previously-developed TBZ			<input type="checkbox"/>			<input type="checkbox"/>
	Docking - Tidal Water			<input type="checkbox"/>			<input type="checkbox"/>
TOTAL		4			420		

SECTION 12 - APPLICATION FEE (RSA 482-A:3, I)

- MINIMUM IMPACT FEE:** Flat fee of \$400.
- NON-ENFORCEMENT RELATED, PUBLICLY-FUNDED AND SUPERVISED RESTORATION PROJECTS, REGARDLESS OF IMPACT CLASSIFICATION:** Flat fee of \$400 (refer to RSA 482-A:3, 1(c) for restrictions).



MINOR OR MAJOR IMPACT FEE: Calculate using the table below:

Permanent and temporary (non-docking):	0 SF	× \$0.40 =	\$ 0.00
Seasonal docking structure:	420 SF	× \$2.00 =	\$ 840.00
Permanent docking structure:	4 SF	× \$4.00 =	\$ 16.00
Projects proposing shoreline structures (including docks) add \$400 =			\$ 400.00
Total =			\$ 1,256.00
The application fee for minor or major impact is the above calculated total or \$400, whichever is greater =			\$ 1,256.00

irm@des.nh.gov or (603) 271-2147

NHDES Wetlands Bureau, 29 Hazen Drive, PO Box 95, Concord, NH 03302-0095

www.des.nh.gov

SECTION 13 - PROJECT CLASSIFICATION (Env-Wt 306.05)		
Indicate the project classification.		
<input type="checkbox"/> Minimum Impact Project	<input checked="" type="checkbox"/> Minor Project	<input type="checkbox"/> Major Project
SECTION 14 - REQUIRED CERTIFICATIONS (Env-Wt 311.11)		
Initial each box below to certify:		
Initials: SKD	To the best of the signer's knowledge and belief, all required notifications have been provided.	
Initials:	The information submitted on or with the application is true, complete, and not misleading to the best of the signer's knowledge and belief.	
Initials: SKD	The signer understands that: <ul style="list-style-type: none"> • The submission of false, incomplete, or misleading information constitutes grounds for NHDES to: <ol style="list-style-type: none"> 1. Deny the application. 2. Revoke any approval that is granted based on the information. 3. If the signer is a certified wetland scientist, licensed surveyor, or professional engineer licensed to practice in New Hampshire, refer the matter to the joint board of licensure and certification established by RSA 310-A:1. • The signer is subject to the penalties specified in New Hampshire law for falsification in official matters, currently RSA 641. • The signature shall constitute authorization for the municipal conservation commission and the Department to inspect the site of the proposed project, except for minimum impact forestry SPN projects and minimum impact trail projects, where the signature shall authorize only the Department to inspect the site pursuant to RSA 482-A:6, II. 	
Initials: SKD	If the applicant is not the owner of the property, each property owner signature shall constitute certification by the signer that he or she is aware of the application being filed and does not object to the filing.	
SECTION 15 - REQUIRED SIGNATURES (Env-Wt 311.04(d); Env-Wt 311.11)		
SIGNATURE (OWNER): 	PRINT NAME LEGIBLY: Steven K Deutsch	DATE: 2/27/25
SIGNATURE (APPLICANT, IF DIFFERENT FROM OWNER):	PRINT NAME LEGIBLY:	DATE:
SIGNATURE (AGENT, IF APPLICABLE): 	PRINT NAME LEGIBLY: Ian Aldcroft	DATE: 3/3/25
SECTION 16 - TOWN / CITY CLERK SIGNATURE (Env-Wt 311.04(f))		
As required by RSA 482-A:3, I(a)(1), I hereby certify that the applicant has filed four application forms, four detailed plans, and four USGS location maps with the town/city indicated below.		
TOWN/CITY CLERK SIGNATURE: 	PRINT NAME LEGIBLY: By: Danielle Lafond	
TOWN/CITY: Gilford	DATE: 3.5.25	



Steven & lane Deutsch Trust Property


Gilford, NH

1 inch = 100 Feet




www.cai-tech.com

February 26, 2025



Data shown on this map is provided for planning and informational purposes only. The municipality and CAI Technologies are not responsible for any use for other purposes or misuse or misrepresentation of this map.

Steven & Jane Deutsch Trust Property



Legend

- State
- County
- City/Town

Map Scale

1: 10,000

© NH GRANIT, www.granit.unh.edu

Map Generated: 2/26/2025



Notes

Trustees: Steven & Jane Deutsch



**New Hampshire Natural Heritage Bureau
NHB DataCheck Results Letter**

To: Ian Aldcroft
1218 Union Avenue
Laconia, NH 03246

From: NH Natural Heritage Bureau

Date: 2/26/2025 (This letter is valid through 2/26/2026)

Re: Review by NH Natural Heritage Bureau of request dated 2/26/2025

Permit Types: Standard Dredge & Fill - Minor
General Permit

NHB ID: NHB25-0638

Applicant: Ian Aldcroft

Location: Gilford
Tax Map: 218, Tax Lot: 027-000
Address: 350 Edgewater Drive

Proj. Description: Repair or replace an existing h-shaped permanent piling supported dockage consisting of a 6ft x 45ft main pier, a 6ft x 31ft pier connected by a 6ft x 12ft walkway with two ice clusters and four fender pilings in-kind with no change in size location or configuration. Proposed permanent piling supported boatlift in center slip of the dockage which was previously approved and never constructed with an attached 14ft x 30ft seasonal canopy. Maintain one existing PWC lift and proposed second PWC which was also previously approved and never installed. Lastly, repair or replace an existing L-shaped rock breakwater with attached W-shaped dockage consisting of a 5ft x 43ft main pier, a 5ft x 30ft pier, a 4ft x 30ft piling pier and a 6ft x 30ft wharf along shore in-kind.

The NH Natural Heritage database has been checked for records of rare species and exemplary natural communities near the area mapped below. The species considered include those listed as Threatened or Endangered by either the state of New Hampshire or the federal government. We currently have no recorded occurrences for sensitive species near this project area.

A negative result (no record in our database) does not mean that a sensitive species is not present. Our data can only tell you of known occurrences, based on information gathered by qualified biologists and reported to our office. However, many areas have never been surveyed, or have only been surveyed for certain species. An on-site survey would provide better information on what species and communities are indeed present.

Based on the information submitted, no further consultation with the NH Fish and Game Department pursuant to Fis 1004 is required.

New Hampshire Natural Heritage Bureau
NHB DataCheck Results Letter

MAP OF PROJECT BOUNDARIES FOR: NHB25-0638





0.1 feet Abutters List Report

Gilford, NH
February 26, 2025

Subject Property:

Parcel Number: 218-027-000
CAMA Number: 218-027-000
Property Address: 350 EDGEWATER DR


Mailing Address: DEUTSCH, IANE D TRUST & DEUTSCH,
STEVEN K TRUST



Abutters:


Parcel Number: 218-026-000
CAMA Number: 218-026-000
Property Address: 342 EDGEWATER DR

Mailing Address: MACONE 2020 TRUST MACONE,
THOMAS J & DEBRA L TTEES



Parcel Number: 218-028-000
CAMA Number: 218-028-000
Property Address: 360 EDGEWATER DR

Mailing Address: SMITH FAMILY REV TRUST SMITH,
RODNEY & KARLA TTEES



7022 2410 0002 1310 9581

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

Stoneham, MA 02180

OFFICIAL USE

Certified Mail Fee	\$4.85
Extra Services & Fees (check box, add fee)	\$0.00
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00
Postage	\$0.73
Total Postage and Fees	\$5.58

Sent To: **Macone 2020 Trust**
Street: **Trustees: Thomas & Debra Macone**
City, St: [Redacted]

PS Form 3800, See Reverse for Instructions

LAKEPORT 0248
MAR - 5 2025
NEW HAMPSHIRE 02248

7022 2410 0002 1310 9574

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

Manchester, NH 03104

OFFICIAL USE

Certified Mail Fee	\$4.85
Extra Services & Fees (check box, add fee)	\$0.00
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00
Postage	\$0.73
Total Postage and Fees	\$5.58

Sent To: **Smith Family Revocable Trust**
Street: **Trustees: Rodney & Karla Smith**
City, St: [Redacted]

PS Form 3800, See Reverse for Instructions

LAKEPORT 0248
MAR - 5 2025
NEW HAMPSHIRE 02248




Data shown on this report is provided for planning and informational purposes only. The municipality and CAI Technologies are not responsible for any use for other purposes or misuse or misrepresentation of this report.

2/26/2025

Page 1 of 1

Lake Winnepesaukee


Full Lake Shoreline 504.32



		Watermark Marine Construction 1218 Union Avenue Laconia, NH 03246 603-293-4000 (Phone) 603-524-8100 (Fax)	
Owner Name: Steve & Jane Deutsch Trust Trustees: Steve & Jane Deutsch		Plan Title: Locus Plan	
Plan Scale: 1" = 30'		Project Town: Gilford, NH	
Plan Date: 02/26/2025		Revisions Date(s):	

Lake Winnepesaukee

Full Lake Shoreline 504.32




Macone P/L
TM/L 218-026-000

		Watermark Marine Construction 1218 Union Avenue Laconia, NH 03246 603-293-4000 (Phone) 603-524-8100 (Fax)	
Owner Name: Steve & Ione Deutch Trust Trustees: Steve & Ione Deutch	Plan Title: Proposed Conditions West Dockage	Plan Scale: 1" = 20'	Project Town: Gilford, NH
Plan Date: 02/26/2025	Revisions Date(s):		

Lake Winnepesaukee


Full Lake Shoreline 504.32




Smith P/L
M/L #218-028-000

		Watermark Marine Construction 1218 Union Avenue Laconia, NH 03246 603-293-4000 (Phone) 603-524-8100 (Fax)	
Owner Name: Steve & Jane Deutsch Trust Trustees: Steve & Jane Deutsch		Plan Title: Proposed Conditions East Dockage	
Plan Scale: 1" = 20'		Project Town: Gilford, NH	
Plan Date: 02/26/2025		Revisions Date(s):	

Eastern Permanent Dockage Cross Section:



Western Breakwater Dockage Cross Section:



 <p>WATERMARK MARINE CONSTRUCTION</p>	Watermark Marine Construction 1218 Union Avenue Laconia, NH 03246 603-293-4000 (Phone) 603-524-8100 (Fax)	
	Owner Name: Steve & Jane Deutsch Trust Trustees: Steve & Jane Deutsch	Plan Title: Proposed Conditions East Dockage
Plan Scale: 1" = 10'	Project Town: Gilford, NH	
Plan Date: 02/26/2025	Revisions Date(s):	