

91- 7/29/26



The State of New Hampshire
Department of Environmental Services

Robert R. Scott, Commissioner



June 24, 2026

Her Excellency, Governor Kelly A. Ayotte
and The Honorable Council
State House
Concord, NH 03301

REQUESTED ACTION

Approve Janette A Alimi and Brian E Keenan's request to amend NH Department of Environmental Services (NHDES) Wetland Bureau permit #2021-02967, to perform the following work on Lake Winnepesaukee in Alton, in accordance with RSA 482-A:3. This project was previously approved by the Governor and Executive Council on June 29, 2022, Item #151. No comments were submitted by the Alton Conservation Commission regarding the project as proposed.

Amend permit to read: Impact 297 square feet of bank to construct a 4 foot wide stairway, construct a 32 foot x 32 foot crib supported boathouse with a surrounding 6 foot wide walkway with a 3.7 foot bump out over land off the eastern walkway, connected to a 6 foot x 25 foot crib supported pier continuing off the western walkway and a 6 foot x 27.25 foot crib supported pier extending at an angle off the eastern walkway, construct a 100 foot long breakwater and dredge 29 cubic yards of material from 1,000 square feet of lakebed for access to the docking facility on an average of 378 feet of frontage along Lake Winnepesaukee, on Clay Point in Alton.

NHDES imposed the following conditions as part of this approval:

1. All work shall be done in accordance with the revised plans by Advantage NH Lakes dated March 5, 2024, as received by the NH Department of Environmental Services (NHDES) on March 19, 2026.
2. This permit shall not be effective until it has been recorded in the Belknap County Registry of Deeds and a copy of the recorded permit has been provided to the department as required pursuant to RSA 482-A:3, and Env-Wt 314.02.
3. No temporary impacts for access within protected shorelands have been approved under RSA 483-B, therefore all access for dredging, fill, and construction activities authorized under this permit shall be completed by equipment accessing the site by barge in order to maintain compliance with RSA 483-B.
4. All development activities associated with any project shall be conducted in compliance with applicable requirements of RSA 483-B and Env-Wq 1400 during and after construction as required pursuant to RSA 483-B:3.
5. No construction, excavation, or fill shall be conducted on the site between February 1st and August 16th unless written confirmation stating Eagles are not breeding, feeding or sheltering in the nest on the abutting parcel during the prohibited time frame is obtained from US Fish and Wildlife as necessary to comply with RSA 209:9 and the federal Protection of Bald and Golden Eagles Act, 16 U.S.C. Subchapter II.

www.des.nh.gov

29 Hazen Drive • PO Box 95 • Concord, NH 03302-0095
(603) 271-3503 • Fax: (603) 271-2867 • TDD Access: Relay NH 1-800-735-2964

6. Orange construction fencing shall be installed at the limits of the temporary impact area within protected shorelands as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved, as required per Rule Env-Wq 1406.20(e).
7. Particular care shall be taken to ensure that work authorized shall be carried out in accordance with Env-Wt 307 such that appropriate turbidity controls are in place to protect water quality, that no turbidity escapes the immediate dredge area, and that appropriate turbidity controls shall remain until suspended particles have settled and water at the work site has returned to normal clarity.
8. In accordance with Env-Wt 307.03(f)(2), a coffer dam or other turbidity control shall be removed after work within the coffer dam or other turbidity control is completed, the contained water has returned to background clarity, and when removing the structure will not cause or contribute to a violation of Env-Wt 307.03(c)(6).
9. In accordance with Env-Wt 307.10(c), turbidity controls shall be installed prior to construction and maintained during construction such that no turbidity escapes the immediate dredge area; and remain in place until suspended particles have settled and water at the work site has returned to normal clarity.
10. The use of this structure shall be limited to the docking and securing of watercraft as required to comply with Env-Wt 307.09.
11. All portions of the docking structures, including the breakwater toe -of-slope, shall be located at least 20 feet from the abutting property lines and no watercraft shall be secured to the docking facility such that it crosses over the imaginary extension of the property lines over the surface water as required by RSA 482-A:3, XIII.
12. Only those structures shown on the approved plans shall be installed or constructed along this frontage as required per Env-Wt 513.22, (a).
13. The breakwater shall have an irregular face to diffuse wave activity pursuant to Env-Wt 512.04, (d).
14. Owners of permanent docking structures which are not maintained so as to be structurally sound and usable for their intended purpose shall remove those docking structures in accordance with Env-Wt 513.22(c), to prevent hazards to public safety, navigation, and recreation.
15. Pursuant to RSA 483-B:9, V(a)(2)(D), (v), this permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V(a)(2)(D), (iv).
16. All dredged and excavated material and construction-related debris shall be placed outside of those areas subject to RSA 482-A or RSA-483-B unless a permit for the deposition of materials within those areas has been obtained as required per RSA 482-A:3 or RSA 483-B:5-b respectively.
17. No activity shall be conducted in such a way as to cause or contribute to any violation of surface water quality standards specified in RSA 485-A:8 or Env-Wq 1700 as required pursuant to Env-Wt 307.03(a).
18. Pursuant to RSA 270:33, Heating, Agitating, or Other Devices in Public Waters; Safety Hazard, no agitating or heating device installed in accordance with RSA 270:34 shall inhibit or prevent the natural formation of ice in such a manner as to impede either the ingress or egress to or from the ice from any property other than that of the owner of the device.

EXPLANATION


NHDES approved this project on May 19, 2026. NHDES supported its decision with the following findings:

1. This is a major impact project per Administrative Rule Env-Wt 512.06, construction of a new breakwater.
2. The property has an average of 378 feet of frontage along Lake Winnepesaukee, on Clay Point, in Alton.
3. A maximum of 6 slips could be permitted on 378 feet of frontage per Rule Env-Wt 513.12, Frontage Requirements for Private and Non-commercial Docking Structures.
4. The proposed crib piers and boathouse will provide 4 slips as defined per RSA 482-A:2, VIII, and therefore meet the requirements of Rule Env-Wt 513.12.
5. The Department has not received any objections to the project from the abutters, nor the Alton Conservation Commission.
6. The Department finds that because the project is not of significant public interest and will not significantly impair the resources of Lake Winnepesaukee a public hearing under RSA 482-A:8 is not required.
7. The approval incorporates conditions specified by US Fish & Wildlife as necessary to prevent adverse impacts to a nearby Eagle nesting location.
8. The Applicant requested a waiver, in accordance with Env-Wt 204, of Administrative Rule Env-Wq 1405.05, requiring all proposed accessory structures to be built on a slope of less than 25%.
9. The applicant's frontage uniformly exceeds 25%, therefore, they are unable to access the water without impacting a slope exceeding 25%.
10. The applicant has demonstrated that granting the waiver will have no adverse effect on the environment, natural resources of the state, public health, public safety, nor impacts to abutting properties more significant than that which would result from complying with the rule as required to meet Rule Env-Wt 204.05, Criteria, (a), (1).
11. The applicant has demonstrated that strict compliance with Rule Env-Wq 1405.05 will provide no benefit to the public and will provide both an operational and economic impact to the applicant as required to meet Rule Env-Wt 204.05, Criteria, (a), (2).
12. The request for a waiver meets the requirements of Rule Env-Wt 204.05, Criteria, and therefore, the waiver to Rule Env-Wq 1405.05 is granted.
13. Applicant requested a waiver, in accordance with Env-Wt 204, of Administrative Rule Env-Wt 512.04(a) which limits the height of breakwaters to 3 feet above the normal high water line.
14. The site is exposed to a northwest fetch of approximately 8 miles, subjecting the frontage to significant wave activity and ice movement thus requiring a higher breakwater to effectively dissipate waves and counteract ice movement which would otherwise damage the docking structures.
15. The applicant has demonstrated that granting the waiver will have no adverse effect on the environment, natural resources of the state, public health, public safety, nor impacts to abutting properties more significant than that which would result from complying with the rule as required to meet Rule Env-Wt 204.05, Criteria, (a), (1).
16. The applicant has demonstrated that strict compliance with Rule Env-Wt 512.04(a) will provide no benefit to the public and will provide both an operational and economic impact to the applicant as required to meet Rule Env-Wt 204.05, Criteria, (a), (2).
17. The request for a waiver meets the requirements of Rule Env-Wt 204.05, Criteria, and therefore, the waiver to Rule Env-Wt 512.04(a) is granted.
18. Applicant requested a waiver, in accordance with Env-Wt 204, of Administrative Rule Env-Wt 512.04(e)(1)-(2) which limits the exposed portion of a breakwater to be no more than 50 feet from the normal high water line and the underwater portion to be no more than 70 feet long.

19. The configuration of the proposed breakwater avoids and minimizes impacts to the lakebed as it allows the applicant to consolidate the docking structures and negates the need to construct a second breakwater.
20. The applicant has demonstrated that granting the waiver will have no adverse effect on the environment, natural resources of the state, public health, public safety, nor impacts to abutting properties more significant than that which would result from complying with the rule as required to meet Rule Env-Wt 204.05, Criteria, (a), (1).
21. The applicant has demonstrated that strict compliance with Rule Env-Wt 512.04(e)(1) will provide no benefit to the public and will provide both an operational and economic impact to the applicant as required to meet Rule Env-Wt 204.05, Criteria, (a), (2).
22. The request for a waiver meets the requirements of Rule Env-Wt 204.05, Criteria, and therefore, the waiver to Rule Env-Wt 512.04(e)(1) is granted.
23. The Department finds that the project as proposed and conditioned meets the requirements of RSA 482-A and the Wetlands Program Code of Administrative Rules Chapters Env-Wt 100 - 900. No waivers of RSA 482-A were requested or approved under this permit action.

NHDES Wetlands Bureau permit #2021-02967 application documents are enclosed for review by the Governor and the Executive Council in consideration of this request and in accordance with RSA 482-A:3, II(a), as it is a major project located in New Hampshire public waters.

We respectfully request your approval of this item.



Robert R. Scott
Commissioner



AMENDMENT REQUEST FORM
FOR A WETLANDS APPLICATION OR PERMIT
 Water Division/Land Resources Management
 Wetlands Bureau



RSA/Rule: RSA 482-A:3, XIV(e)/ Env-Wt 311.13; Env-Wt 314.07

Administrative Use Only	Administrative Use Only	Administrative Use Only	File No.:
			Check No.:
			Amount:
			Initials:

Any request for an amendment to a wetlands application or permit must be submitted to the Department on this form. An applicant may request an amendment to a pending permit application or an existing permit, provided the proposed change does not constitute a **"significant amendment."** A **"significant amendment"** means an amendment which changes the proposed or previously approved acreage of the permitted fill or dredge area by 20 percent or more, includes a prime wetland, or elevates the project's impact classification. This meaning of "significant amendment" shall not apply to an application amendment that is in response to a request from the Department (RSA 482-A:3, XIV(e)).

SECTION 1 - REQUESTED AMENDMENT TYPE AND AMENDMENT CRITERIA

Does the proposed change constitute a "significant amendment" as provided in RSA 482-A:3, XIV(e) and described above? ☐ Yes ☒ No

If you answered "yes" to the previous question, then you cannot request an amendment using this form and must file a new permit application.

☐ AMENDMENT TO PENDING PERMIT APPLICATION, NHDES FILE NUMBER: (proceed to Section 2)

☒ AMENDMENT TO EXISTING PERMIT NUMBER: 2021-02967 (proceed to Section 3)

SECTION 2 - AMENDMENT TO A PENDING PERMIT APPLICATION

☐ Not applicable

To request an amendment to a pending permit application, the applicant must:

- Submit the information required by Env-Wt 311.03, showing the changes prior to the Department's issuance of a final decision on the application, including but not limited to, a revised set of plans and revised application fees for any additional square footage of impacts calculated pursuant to RSA 482-A:3, I(b) or (c) as applicable, and
- Provide notice to each person to whom notice of the original application was sent prior to filing the amended application with the Department (Env-Wt 311.13).

☐ By checking this box, you confirm that you have provided all information required pursuant to Env-Wt 311.03 to the Department and provided the required notice(s) as described above.

lrn@des.nh.gov or (603) 271-2147

NHDES Wetlands Bureau, PO Box 95, Concord, NH 03303-0095

www.des.nh.gov

SECTION 3 - AMENDMENT TO AN EXISTING PERMIT

☐ Not applicable

To request an amendment to an existing permit, the permittee must:

- Submit the information required and filed with the original permit application, including but not limited to a revised set of plans, and revised application fees for any additional square footage of impacts calculated pursuant to RSA 482-A:3, I(b) or (c) as applicable, and
- Provide notice to all who received notice of the original application prior to filing the amended application with the Department (Env-Wt 314.07).

☒ By checking this box, you confirm that you have provided all necessary information to the Department and provided the required notice(s) as described above.

lrn@des.nh.gov or (603) 271-2147

NHDES Wetlands Bureau, PO Box 95, Concord, NH 03303-0095

www.des.nh.gov



**STANDARD DREDGE AND FILL
WETLANDS PERMIT APPLICATION**
Water Division/Land Resources Management
Wetlands Bureau
[Check the Status of your Application](#)



RSA/Rule: RSA 482-A/Env-Wt 100-900

APPLICANT'S NAME: **Keenan, Brian & Ali Alimi**TOWN NAME: **Alton**

		Administrative Use Only	File No.: 2021-02967
			Check No.: 3059
			Amount: \$8,926.40
			Initials: RS

A person may request a waiver to requirements in Rules Env-Wt 100-900 to accommodate situations where strict adherence to the requirements would not be in the best interests of the public or the environment. A person may also request a waiver of standard for existing dwellings over water pursuant to RSA 482-A:26, III (b). For more information, please consult the [request form](#).

SECTION 1 - REQUIRED PLANNING FOR ALL PROJECTS (Env-Wt 306.05; RSA 482-A:3, I(d)(2))

Please use the [Wetland Permit Planning Tool \(WPPT\)](#), the Natural Heritage Bureau (NHB) [DataCheck Tool](#), the Aquatic Resource Mapper, or other sources to assist in identifying key features such as: [priority resource areas \(PRAs\)](#), [protected species or habitats](#), coastal areas, designated rivers, or designated prime wetlands.

Has the required planning been completed? ☒ Yes ☐ NoDoes the property contain a PRA? ☐ Yes ☒ No. If yes, provide the following information:

- Does the project qualify for an Impact Classification Adjustment or a Project-Type Exception (See Env-Wt 407.02 and Env-Wt 407.04)? ☒ Yes ☐ No
- Protected species or habitat? ☐ Yes ☒ No. If yes, species or habitat name(s):
- NHB Project ID #: NHB21-2554
- Bog? ☐ Yes ☒ No
- Floodplain wetland contiguous to a tier 3 or higher watercourse? ☐ Yes ☒ No
- Designated Prime Wetland or duly-established 100-foot buffer? ☐ Yes ☒ No
- Sand dune, tidal wetland, tidal water, or undeveloped tidal buffer zone? ☐ Yes ☒ No

Is the property within a Designated River corridor? ☐ Yes ☒ No. If yes, provide the following information:

- Name of Local River Management Advisory Committee (LAC): n/a
- A copy of the application was sent to the LAC on Month: x Day: x Year: xxxx

For stream crossing projects, provide watershed size: n/a

For dredging projects, is the subject property contaminated? ☐ Yes ☒ No

If yes, list contaminant: n/a

Is there potential to impact impaired waters, class A waters, or outstanding resource waters? ☐ Yes ☒ Nolrn@des.nh.gov or (603) 271-2147

NHDES Wetlands Bureau, 29 Hazen Drive, PO Box 95, Concord, NH 03302-0095

www.des.nh.gov

SECTION 2 - PROJECT DESCRIPTION (Env-Wt 311.04(i))

Provide a brief description of the project and the purpose of the project, outlining the scope of work to be performed and whether impacts are temporary or permanent. DO NOT reply "See attached" in the space provided below.

Provide a 1070 sf rock breakwater, 6'w piling pier (433sf), 2 tie off pilings (2 sf), 2 seasonal PWC lifts (50 sf), 1 boatlift (180 sf) and a 32'x34' "dug-in" boathouse (1,088 sf) to provide three protected boatslips/ safe docking for the owner and their guests. Also, provide a small single family perched beach 350 sf and 4'w stepped access over the bank (312 sf). Dredging will consist of approximately 750 sf and will be removed from wetlands jurisdiction. Dock qualifies for permanent dock construction pursuant to Env-Wt. 513.04 (a) and breakwater construction pursuant to Env-Wt. 512. The watercraft lifts shall comply with Env-Wt. 513.05 and Env-Wt. 513.21. The project meets Env-Wt. 311.07 Demonstration of Avoidance & Minimization by providing for two boatslips within the applicants property thereby reducing permanent impacts within the lake. The project meets Env-Wt. 307.13 (a) Property Line Setbacks and Env-Wt. 513.10 Setback Requirements for Docking Structures.

SECTION 3 - PROJECT LOCATION

Separate wetland permit applications must be submitted for each municipality within which wetland impacts occur.

ADDRESS: Hopewell Road

TOWN/CITY: Alton

TAX MAP/BLOCK/LOT/UNIT: 21-5-6

US GEOLOGICAL SURVEY (USGS) TOPO MAP WATERBODY NAME: Lake Winnepesaukee

☐ N/A

(Optional) LATITUDE/LONGITUDE in decimal degrees (to five decimal places): 43.54937° North
71.22863° West

SECTION 4 - APPLICANT (DESIRED PERMIT HOLDER) INFORMATION (Env-Wt 311.04(a))

If the applicant is a trust or a company, then complete with the trust or company information.

NAME: Brian Keenan & Janette Ali Alimi

MAILING ADDRESS:

TOWN/CITY:

STATE:

ZIP CODE:

EMAIL ADDRESS:

FAX:

PHONE

ELECTRONIC COMMUNICATION: By initialing here: n/a, I hereby authorize NHDES to communicate all matters relative to this application electronically.

SECTION 5 - AUTHORIZED AGENT INFORMATION (Env-Wt 311.04(c))

☐ N/A

LAST NAME, FIRST NAME, M.I.: Folsom, Allen

COMPANY NAME: Advantage NH Lakes

MAILING ADDRESS: P.O. Box 862

TOWN/CITY: Wolfeboro Falls

STATE: NH

ZIP CODE: 03896

EMAIL ADDRESS:

FAX: n/a

PHONE: 603-998-0619

ELECTRONIC COMMUNICATION: By initialing here AF, I hereby authorize NHDES to communicate all matters relative to this application electronically.

SECTION 6 - PROPERTY OWNER INFORMATION (IF DIFFERENT THAN APPLICANT) (Env-Wt 311.04(b))

If the owner is a trust or a company, then complete with the trust or company information.

☒ Same as applicant

NAME:

MAILING ADDRESS:

TOWN/CITY:

STATE:

ZIP CODE:

EMAIL ADDRESS:

FAX:

PHONE:

ELECTRONIC COMMUNICATION: By initialing here _____, I hereby authorize NHDES to communicate all matters relative to this application electronically.

SECTION 7 - RESOURCE-SPECIFIC CRITERIA ESTABLISHED IN Env-Wt 400, Env-Wt 500, Env-Wt 600, Env-Wt 700, OR Env-Wt 900 HAVE BEEN MET (Env-Wt 313.01(a)(3)).

Describe how the resource-specific criteria have been met for each Chapter listed above (please attach information about stream crossings, coastal resources, prime wetlands, or non-tidal wetlands and surface waters).

See all package information supplied. Some specific items are addressed below;

*The project meets Env-Wt. 311.07 Demonstration of Avoidance and Minimization

*The project does not require a CWS delineation pursuant to Env-Wt 406.03 (5) nor a functional assessment as it is located over public submerged lands and is a dock project.

*The project is a PTE (Project-Type Exception) as listed in Table 407-2 Docking structures and accessory docking structures as specified in Env-Wt 513, Breakwaters as specified in Env-Wt 512 and Water access structures as specified in Env-Wt 511.

* The project is designed pursuant to Env-Wt 515

*The project is designed pursuant to Env-Wt 512 and is shown on Appendix D.

*The project meets Env-Wt 513.10 Setback

SECTION 8 - AVOIDANCE AND MINIMIZATION

Impacts within wetland jurisdiction must be avoided to the maximum extent practicable (Env-Wt 313.03(a)). If all impacts cannot be avoided, a functional assessment is required for minor and major projects (Env-Wt 311.03(b)(10)).

Any project with unavoidable jurisdictional impacts must then be minimized as described in the [Wetlands Best Management Practice Techniques For Avoidance and Minimization](#) and the [Wetlands Permitting: Avoidance, Minimization and Mitigation Fact Sheet](#).

Please refer to the application checklist to ensure that you have attached all documents related to avoidance and minimization, as well as functional assessment (where applicable). You can use the [Avoidance and Minimization Checklist](#), the [Avoidance and Minimization Narrative](#), or your own avoidance and minimization narrative.

SECTION 9 - MITIGATION REQUIREMENT (Env-Wt 311.02)

If unavoidable jurisdictional impacts require mitigation, a mitigation pre-application meeting must occur at least 30 days but not more than 90 days prior to submitting this Standard Dredge and Fill Permit Application.

Mitigation Pre-Application Meeting Date: Month: Day: Year:

(☒ N/A - Mitigation is not required)

SECTION 10 - THE PROJECT MEETS COMPENSATORY MITIGATION REQUIREMENTS (Env-Wt 313.01(a)(1)c).

Have you submitted a compensatory mitigation proposal that meets the requirements of Env-Wt 800 for all permanent impacts that will remain after avoidance and minimization demonstration? ☐ Yes ☒ No

(☒ N/A - Mitigation is not required)

SECTION 11 - IMPACT AREA (Env-Wt 311.04(g))

For each jurisdictional area that will be/has been impacted, provide square feet (SF) and, if applicable, linear feet (LF) of impact, and note whether the impact is after-the-fact (ATF; i.e., work was started or completed without required permitting).

For intermittent and ephemeral* streams, the linear footage of impact is measured along the thread of the channel. **Please note, installation of a stream crossing in an ephemeral stream may be undertaken without a permit per Rule Env-Wt 309.02(d), however other dredge or fill impacts should be included below.*

For perennial streams/rivers, the linear footage of impact is calculated by summing the lengths of disturbances to the channel and banks.

Permanent impacts are impacts that will remain after the project is complete (e.g., changes in grade or surface materials).

Temporary impacts are impacts not intended to remain (and will be restored to pre-construction conditions) after the project is completed.

JURISDICTIONAL AREA		PERMANENT			TEMPORARY		
		SF	LF	ATF	SF	LF	ATF
Wetlands	Forested Wetland			☐			☐
	Scrub-shrub Wetland			☐			☐
	Emergent Wetland			☐			☐
	Wet Meadow			☐			☐
	Vernal Pool			☐			☐
	Designated Prime Wetland			☐			☐
	Duly-established 100-foot Prime Wetland Buffer			☐			☐
Surface Water	Intermittent / Ephemeral* Stream			☐			☐
	Perennial Stream or River			☐			☐
	Lake / Pond	1070	70	☐	1470	drdg&cof	☐
	Docking - Lake / Pond	435		☐	230	seas lifts	☐
	Docking - River			☐			☐
Banks	Bank - Intermittent Stream			☐			☐
	Bank - Perennial Stream / River			☐			☐
	Bank/shoreline - Lake / Pond	135		☐			☐
Tidal	Tidal Waters			☐			☐
	Tidal Marsh			☐			☐
	Sand Dune			☐			☐
	Undeveloped Tidal Buffer Zone (TBZ)			☐			☐
	Previously-developed TBZ			☐			☐
	Docking - Tidal Water			☐			☐
TOTAL		1640	70		1,700		

lrn@des.nh.gov or (603) 271-2147

NHDES Wetlands Bureau, 29 Hazen Drive, PO Box 95, Concord, NH 03302-0095

www.des.nh.gov

SECTION 12 - APPLICATION FEE (RSA 482-A:3, I)☐ **MINIMUM IMPACT FEE:** Flat fee of \$400☐ **NON-ENFORCEMENT RELATED, PUBLICLY-FUNDED AND SUPERVISED RESTORATION PROJECTS, REGARDLESS OF IMPACT CLASSIFICATION:** Flat fee of \$400 (refer to RSA 482-A:3, 1(c) for restrictions)☒ **MINOR OR MAJOR IMPACT FEE:** Calculate using the table below:

Permanent and temporary (non-docking): 4,936 SF × \$0.40 = \$ 1,974.40

Seasonal docking structure: 230 SF × \$2.00 = \$ 460.00

Permanent docking structure: 1523 SF × \$4.00 = \$ 6,092.00

Projects proposing shoreline structures (including docks) add \$400 = \$ 400.00

Total = \$ 8,926.40

The application fee for minor or major impact is the above calculated total or \$400, whichever is greater = \$ 8,926.40

SECTION 13 - PROJECT CLASSIFICATION (Env-Wt 306.05)

Indicate the project classification.

☐ Minimum Impact Project☐ Minor Project☒ Major Project**SECTION 14 - REQUIRED CERTIFICATIONS (Env-Wt 311.11)**

Initial each box below to certify:

Initials:

AF

To the best of the signer's knowledge and belief, all required notifications have been provided.

Initials:

BK JA

The information submitted on or with the application is true, complete, and not misleading to the best of the signer's knowledge and belief.

Initials:

BK JA

The signer understands that:

- The submission of false, incomplete, or misleading information constitutes grounds for NHDES to:
 - Deny the application.
 - Revoke any approval that is granted based on the information. And
 - If the signer is a certified wetland scientist, licensed surveyor, or professional engineer licensed to practice in New Hampshire, refer the matter to the joint board of licensure and certification established by RSA 310-A:1.
- The signer is subject to the penalties specified in New Hampshire law for falsification in official matters, currently RSA 641.
- The signature shall constitute authorization for the municipal conservation commission and the Department to inspect the site of the proposed project, except for minimum impact trail projects, where the signature shall authorize only the Department to inspect the site pursuant to RSA 482-A:6, II.

Initials:

BK JA

If the applicant is not the owner of the property, each property owner signature shall constitute certification by the signer that he or she is aware of the application being filed and does not object to the filing.

SECTION 15 - REQUIRED SIGNATURE (Env-Wt 311.04(d); Env-Wt 311.11)**SIGN HERE**

SIGNATURE (OWNER):

PRINT NAME LEGIBLY:

Brian Keenan and/or Janette Ali Alimi

DATE:

9-7-2021

SIGNATURE (APPLICANT, IF DIFFERENT FROM OWNER):

PRINT NAME LEGIBLY:

DATE:

SIGNATURE (AGENT, IF APPLICABLE):

PRINT NAME LEGIBLY:

Allen Folsom

DATE:

9-17-2021

SECTION 16 - TOWN / CITY CLERK SIGNATURE (Env-Wt 311.04(f))

As required by RSA 482-A:3, I(a),(1), I hereby certify that the applicant has filed four application forms, four detailed plans, and four USGS location maps with the town/city indicated below.

TOWN/CITY CLERK SIGNATURE: <u>Lisa Hayes</u>	PRINT NAME LEGIBLY: <u>Lisa Hayes</u>
TOWN/CITY: <u>Alton</u>	DATE: <u>9/13/2021</u>

DIRECTIONS FOR TOWN/CITY CLERK:


Per RSA 482-A:3, I(a)(1)

1. IMMEDIATELY sign the original application form and four copies in the signature space provided above.
2. Return the signed original application form and attachments to the applicant so that the applicant may submit the application form and attachments to NHDES by mail or hand delivery.
3. IMMEDIATELY distribute a copy of the application with one complete set of attachments to each of the following bodies: the municipal Conservation Commission, the local governing body (Board of Selectmen or Town/City Council), and the Planning Board. And
4. Retain one copy of the application form and one complete set of attachments and make them reasonably accessible for public review.


DIRECTIONS FOR APPLICANT:

Submit the single, original permit application form bearing the signature of the Town/City Clerk, additional materials, and the application fee to NHDES by mail or hand delivery at the address at the bottom of this page.

Keenan-TM# 21-5-6, Hopewell Road, Alton, NH



(MELVIN VILLAGE) mytopo (TUFTONBORO) WOLFEBORO QUADRANGLE NEW HAMPSHIRE TOPOGRAPHIC SERIES (OSSIPPEE)



RECEIVED
SEP 15 2021
NHDES
LAND RESOURCES MANAGEMENT

(GILMANTON IRONWORKS)

Produced by MyTopo Terrain Navigator
Topography based on USGS 1:24,000
Maps


North American 1983 Datum (NAD83)
Transverse Mercator Projection

To place on the predicted North American
1927 move the projection lines 9M N and
39M E

Declination

MNGN

GN 1.53° W
MN 15.39° W



CONTOUR INTERVAL 20 FEET
NATIONAL GEODETIC VERTICAL DATUM 1929

WOLFEBORO, NH
1987

Site
Map
Not to scale

Shoreland Applications * Wetland Applications * Effluent Disposal System Designs * Project Management
Office: 603-998-0619 * P.O. Box 862, Wolfboro Falls, NH 03896
www.AdvantageNHLakes.com
Advantagenhlakes@gmail.com Email



The State of New Hampshire
**Department of Environmental
Services**



Robert R. Scott, Commissioner

This application contains confidential information from the NH Natural Heritage Bureau (NHB) Datacheck tool provided by the NH Department of Natural and Cultural Resources. This information is being withheld from disclosure to the public.

Please direct all questions regarding the confidential information to Courtney Lockwood, Land Resources Management Program Attorney, NH Department of Environmental Services, at: courtney.l.lockwood@des.nh.gov, or (603) 271-8614.

ABUTTERS LIST

Name of property owner (s): Keenan

Location of proposed project: TM# 21-5-6, Hopewell Road, Alton, NH

Brief description of work: Wetlands Application

TM# 21-5-5


Jason Muise REV Trust

Jason Muise & Cristina Marie, Trustees



TM# 21-5-7

John & Maie Calabro



flowage rights (included as abutter)
NH Dept. of Environmental Services
Water Division - Dam Bureau
P.O. Box 95
Concord, NH 03302-0095
Attn: James Gallagher

RSA 483-B:4 I.

"Abutter" means any person who owns property that is immediately contiguous to the property on which the proposed work will take place, or who owns flowage rights on such property. The term does not include those properties separated by a public road or more than 1/4 mile from the limits of the proposed work. If contiguous properties are owned by the person who is proposing the work, then the term includes the person owning the next contiguous property, subject to the 1/4 mile limitation.

Project: Keenan, TM# 21-5-6, Hopewell Road, Alton, N
 Abutter receipt copies (Env-Wt. 306.06(b) and 311.03)

**U.S. Postal Service™
 CERTIFIED MAIL® RECEIPT**
 Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee \$ [redacted]

Extra Services & Fees (check box, add fee as appropriate)

☐ Return Receipt (hardcopy)	\$ 10.00
☐ Return Receipt (electronic)	\$ 10.00
☐ Certified Mail Restricted Delivery	\$ 10.00
☐ Adult Signature Required	\$ 10.00
☐ Adult Signature Restricted Delivery	\$ 10.00

Postage \$ 0.00

Total Postage and Fees \$ 0.58

Sent To **John & Maie Calabro**

Street [redacted]

City, State [redacted]

PS Form 3800, April 2015 (5010-108-000-800) See Reverse for Instructions

Postmark Here 0896 01 09/09/2021

**U.S. Postal Service™
 CERTIFIED MAIL® RECEIPT**
 Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee \$ [redacted]

Extra Services & Fees (check box, add fee as appropriate)

☐ Return Receipt (hardcopy)	\$ 10.00
☐ Return Receipt (electronic)	\$ 10.00
☐ Certified Mail Restricted Delivery	\$ 10.00
☐ Adult Signature Required	\$ 10.00
☐ Adult Signature Restricted Delivery	\$ 10.00

Postage \$ 0.00

Total Postage and Fees \$ 0.58

Sent To **John & Maie Calabro**

Street [redacted]

City, State [redacted]

PS Form 3800, April 2015 (5010-108-000-800) See Reverse for Instructions

Postmark Here 0896 01 09/09/2021

**U.S. Postal Service™
 CERTIFIED MAIL® RECEIPT**
 Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee \$ [redacted]

Extra Services & Fees (check box, add fee as appropriate)

☐ Return Receipt (hardcopy)	\$ 10.00
☐ Return Receipt (electronic)	\$ 10.00
☐ Certified Mail Restricted Delivery	\$ 10.00
☐ Adult Signature Required	\$ 10.00
☐ Adult Signature Restricted Delivery	\$ 10.00

Postage \$ 0.58

Total Postage and Fees \$ 4.33

Sent To **Jason Muise REV Trust**
Jason Muise & Cristina Marie, Trustees

Street [redacted]

City, State [redacted]

PS Form 3800, April 2015 (5010-108-000-800) See Reverse for Instructions

Postmark Here 0896 01 09/09/2021

**U.S. Postal Service™
 CERTIFIED MAIL® RECEIPT**
 Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee \$ 3.75

Extra Services & Fees (check box, add fee as appropriate)

☐ Return Receipt (hardcopy)	\$ 10.00
☐ Return Receipt (electronic)	\$ 10.00
☐ Certified Mail Restricted Delivery	\$ 10.00
☐ Adult Signature Required	\$ 10.00
☐ Adult Signature Restricted Delivery	\$ 10.00

Postage \$ 0.58

Total Postage and Fees \$ 4.33

Sent To **NHDES Water Division- Dam Bureau**

Street [redacted]

City, State [redacted]

PS Form 3800, April 2015 (5010-108-000-800) See Reverse for Instructions

Postmark Here 0896 01 09/09/2021

RECEIVED
 SEP 15 2021
 NHDES
 LAND RESOURCES MANAGEMENT

Abutter
 Receipt
 Copies

